

König LP Shade Equalizer

328 000

Intended Use

- For a glazing, transparent re-dyeing from light to dark.
- To equalize minor lacquer damage.
- To adjust slight colour deviations.
- Recommended for indoor use.

Characteristics

- Glazing.
- Nitrocellulose-based.
- Gloss level 'silk matt'.
- Limited UPVC-resistance (window and door gaskets).

Application Notes

Prior to use, shake can well and spray briefly to clear the valve. When banging of the mixing balls is audible – shake at least for another 30 seconds. Repeat this operation during processing. Process at room temperature – do not spray on cold/hot surfaces. Do not use in the gasket area of windows and doors. Lightly sand area to be treated with 240/280 grit Dry Sandpaper to level off scratches and abrasions. Finally, sand with Wire Wool 000 or with the 1500 grit Sanding Pad. When spraying from a distance of 40-50 cm, tiny colour dots are produced so that a 'raster-like colour net' develops ensuring smooth colour transitions on the repaired area. Several colour shades can be put on top of each other.

Physical Properties and Shelf Life

Dust-dry:	after 5-10 minutes
Touch-proof:	after 10-15 minutes
Substrate material:	can be used on many surfaces
Coverage:	approx. 2-4 m ² per 400 ml (single application)
Shelf life:	minimum 2 years (stored upright at room temperature, in unopened original container)

Safety Precautions

Please refer to label and material data sheet.

Disposal

- Dispose of König aerosol cans in accordance with legal regulations only, when completely empty. For further information, please ask your local waste industry office.
- Leftover material to be disposed of in accordance with EWC 150110 (packaging containing residues of or contaminated by dangerous substances).
- Heinrich König & Co. KG take care of the disposal of Sprüh-König aerosol cans, provided they are returned 'carriage paid' to the address stated below.

Packaging

On request.

*Further information and Material Safety Data Sheet on the internet at
www.heinrich-koenig.de*

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for his or her particular purpose(s).



Seit 1892

Heinrich König & Co. KG

An der Rosenhelle 5 • D-61138 Niederdorfelden
Phone: 0 61 01-53 60 0 • Fax: 0 61 01-53 60 11
E-mail: info@heinrich-koenig.de

Issue 30/16