

## Intended Use

- For a high build re- and new lacquering, to seal a repair.
- To be used on wood, plastic and metal surfaces.
- For indoor and outdoor use.

## Characteristics

- Acrylic-based product.
- A transparent lacquer.
- Silicone-free.
- Sheen levels: deep matt 3-4, matt 10-13, silk matt 19-21, silk gloss 35-40, gloss 55-65, high gloss >75.
- Lightfast and weather resistant.
- Limited PVC-resistance (door and window gaskets).
- Good resistance and adhesion properties.

## Application Notes

Shake can well before use and briefly spray valve free. Test product on an inconspicuous area first to ensure adhesion and compatibility with the surface. Spray distance approx. 30-40 cm. Surface must be clean and free of dust and grease. Pre-treat, if necessary (sand lightly and remove sanding dust). Take care not to apply too heavy coats.

When sealing the repaired area with touch-up paints, the repair will turn brighter for a short time. On drying, original colour reappears.

In case of vertical surfaces, several thin coats are best. Allow lacquer to dry for approx. 20 minutes before applying the next coat.

## Physical Properties and Shelf Life

### Drying periods (at 20°C RT)

<b>Dust-dry:</b>	after approx. 15-20 minutes
<b>Touch-proof:</b>	after approx. 30 minutes
<b>Lightfastness:</b>	good up to very good
<b>Weather resistance:</b>	good up to very good
<b>Coverage:</b>	approx. 2 m <sup>2</sup> per 400 ml (single application)
<b>Shelf life:</b>	minimum 2 years (stored upright at room temperature, in unopened original container)

## Safety Precautions

Please refer to label and material data sheet.

## Disposal

- Dispose of König aerosol cans in accordance with legal requirements only, when completely empty. For further information, please ask your local waste industry office.
- Leftover material to be disposed of in accordance with EWC 150110 (packaging containing residues of or contaminated by dangerous substances).
- Heinrich König & Co. KG take care of the disposal of Sprüh-König aerosol cans, provided they are returned 'carriage paid' to the address stated below.

## Packaging

On request.

*Further information and Material Safety Data Sheet on the internet at  
[www.heinrich-koenig.de](http://www.heinrich-koenig.de)*

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for his or her particular purpose(s).



Seit 1892

### Heinrich König & Co. KG

An der Rosenhelle 5 • D-61138 Niederdorfelden  
Phone: 0 61 01-53 60 0 • Fax: 0 61 01-53 60 11  
E-mail: [info@heinrich-koenig.de](mailto:info@heinrich-koenig.de)

Issue 30/16