

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

Product Name and Code : **RepairLux Polishing Paste**

403039

Use of the substance/preparation:

NAME AND FULL ADDRESS OF COMPANY:

**Heinrich König & Co.KG
An der Rosenhelle 5
D-61138 Niederdorfelden**

EMERGENCY-CALL OF COMPANY:

Dep. for Security and Health

Phone: +49 6101 536050

Duty hours: Mon - Thu from 07.00 to 15.30 o'clock

Fry from 07.00 to 12.00 o'clock

Telephonenumber (in general) : 49 / 6101 / 53 60 - 0

Telefax : 49 / 6101 / 53 60 11

E-mail : info@heinrich-koenig.de

2. HAZARDS IDENTIFICATION

This preparation is not classified as dangerous according to the EC Directive 1999/45/EC.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family: Hilfsmittel f. Instandsetzung

Substances presenting a health or environmental hazard:

EINECS-No.	Names	Symb.	Conc.
	R-phrases		
265-149-8	Distillates (petroleum), hydrotreated light Kerosine -		
64742-47-8	unspecified		
	65	Xn	5 - 10

See full text of phrases under chapter 16.

4. FIRST AID MEASURES

General:

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Inhalation :

Remove to fresh air, keep patient warm and at rest, if breathing is irregular or stopped, administer artificial respiration. Give nothing by mouth. If unconscious place in recovery position and seek medical advice.

Eye contact:

Remove contact lenses, irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart and seek medical advice.

Skin contact:

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do **not** use solvents or thinners.

Ingestion :

If accidentally swallowed obtain immediate medical attention. Keep at rest. Do **not** induce vomiting.

5. **FIRE FIGHTING MEASURES**

Extinguishing media:

Recommended: alcohol resistant foam, CO₂, powders, water spray.

Not to be used: waterjet.

Recommendations:

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Appropriate breathing apparatus may be required. Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses.

6. **ACCIDENTAL RELEASE MEASURES**

Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8. Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Do not allow to enter drains or water courses. Clean preferably with a detergent; avoid use of solvents. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

7. **HANDLING AND STORAGE**

Handling.

Keep container tightly closed. Avoid skin and eye contact. Avoid inhalation of vapour and spary mist.

Smoking, eating and drinking should be prohibited in application area.

For personal protection see Section 8.

Never use pressure to empty : container is not a pressure vessel.

Always keep in containers of same material as the original one.

Comply with the health and safety at work laws.

Storage.

Observe label precautions. Store between 15 and 30 °C in a dry, well ventilated place away from sources of heat and direct sunlight.

Keep away from sources of ignition. Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.

No smoking. Prevent unauthorized access. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. **EXPOSURE CONTROLS/PERSONAL PROTECTION**

Engineering Measures.

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Exposure Limits.

Occupational exposure limit for :

EINECS-No.	Names	STEL	LTEL
------------	-------	------	------

Personal Protection.

Respiratory protection:

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators.

Hand protection:

For prolonged or repeated contact, use gloves.

Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred.

Eye protection:

Use safety eyewear designed to protect against splash of liquids.

9. PHYSICAL AND CHEMICAL PROPERTIES

General information

appearance : liquid
colour : typical
odour : typical

Important health, safety and environmental information

Flash point : 80 °C c.c.
Ignition temperature : n.a. °C
Lower explosion limit : 0.8 Vol. %
Upper explosion limit : 6.5 Vol. %
Vapour pressure at 20 °C: 8.41 mbar
Specific gravity at 20 °C: 1.10 g/cm³
Water solubility : not soluble
Viscosity at 20 °C: 999 s 4 mm DIN 53211
Solvent-separation test : < 3 % ADR/RID
Percent volatile by weight : 8 %

10. STABILITY AND REACTIVITY

Stable under recommended storage and handling conditions (see section 7).
When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.
Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.
NONE OF THE UPPER DESCRIBED DECOMPOSED PRODUCTS WILL OCCUR UNDER NORMAL CONDITIONS AND PROPER USE !

11. TOXICOLOGICAL INFORMATION

There are no data available on the preparation itself.
The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and not classified.
Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage.

12. ECOLOGICAL INFORMATION

The product should not be allowed to enter drains or water courses.
The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

13. DISPOSAL CONSIDERATIONS

Do not allow into drains or water courses.
Wastes and emptied containers should be deposited according to the official rules.

Code of waste Waste Designation:

200130 detergents other than those mentioned in 200129

14. TRANSPORT INFORMATION

Transport only in accordance with ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

ADR/RID Class: Keim Gefahrgut gem. den Vorschriften
Hazard label(s): n.a.
UN-No: n.a.
ADR hazard: n.a.
Transport document name:

Packing group: n.a.

IMDG Class: n.a.

Hazard label(s): n.a.

EmS: n.a.

UN-No: n.a.

Proper shipping name:

Packing group: n.a.

marine pollutant: n.a.

ICAO/IATA Class: n.a.

UN No: n.a.

Proper shipping name:

Packing group: n.a.

15. REGULATORY INFORMATION

This preparation is not classified as dangerous according to EC Directive 1999/45/EC.

Special provisions concerning the labelling of preparations:

n.a.

16. OTHER INFORMATION

Full text of R-phrases with no. appearing in section 3:

65 Harmful: may cause lung damage if swallowed.

The information of this SDS is based on the present state of our knowledge and on current EU and national laws. The product is not to be used for other purposes than those specified under section 1 without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this SDS is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties.
