

# König RepairLux® Colours and Mica 403 006 - 019

## Uses

- For the repair of polishable natural stone (not sandstone or porous limestone) and diverse engineered stones.
- To dye RepairLux® Transparent Liquid/Base.
- Recommended for indoor and outdoor use.

## Characteristics

- A light-hardening filler material (LED).
- Paste.
- Large colour range.
- Colours can be mixed.
- Planable, sandable and polishable.
- High stability and resistance.
- Weather resistant.
- Lightfast.

## Application

Ensure processing temperature is above +8°C (filler and surface). Do not apply in direct sunlight. Apply relevant colours on the Mixing Palette 609 and mix until desired shade is achieved. To reduce colour intensity tone down with RepairLux® Transparent Liquid/Base.

Fill damage in stages of 0.5-3 mm maximum and cure each coat individually, the darker the colour shade, the thinner the coat. To achieve best results apply a final coat of RepairLux® Transparent Liquid. To imitate a crystalline structure and shadings, the filler can be combined with relevant Granulates (fine and coarse art.no. 403 020-025).

For detailed description of the individual system components and their use, please refer to the instructions for use.

## Specifications

**Hardening period:** 30 secs/cm<sup>2</sup>.

**Hardening coat:** 0.5-3 mm maximum (construction), the darker the colour shade, the thinner the coat.

### Temperature

**resistance:** for a short time up to 150°C.

**Shelf life:** at least 2 years  
(stored in original unopened container and lightproof at 2-28°C)

## Safety Precautions

- Irritant.
- Irritating to eyes, respiratory system and skin.
- Having come into contact with eyes rinse immediately with plenty of water and seek medical advice.
- After contact with skin, wash immediately with plenty of water and soap.
- For professional use only.

*Extract of wordings of the law. For further information please see label and Material Safety Data Sheet.*

## Disposal


- Leftover materials and containers to be disposed of according to official regulations, when completely emptied. For detailed information please ask your local waste industry office.
- Cured product is an inert plastic material which can be disposed of according to the local official regulations.
- European Waste Code for uncured material: 080409.

## Packaging

White	art.no. 403 006	3ml syringe
Marble White	art.no. 403 007	3ml syringe
Green	art.no. 403 008	3ml syringe
Yellow	art.no. 403 009	3ml syringe
Blue	art.no. 403 010	3ml syringe
Red	art.no. 403 011	3ml syringe
Beige	art.no. 403 012	3ml syringe
Black	art.no. 403 013	3ml syringe
Mica Silver	art.no. 403 014	3ml syringe
Mica Gold	art.no. 403 015	3ml syringe
Brown	art.no. 403 016	3ml syringe
Amber	art.no. 403 017	3ml syringe
Sand	art.no. 403 018	3ml syringe
Dark Brown	art.no. 403 019	3ml syringe

*Further information and Material Safety Data Sheet on the internet at  
[www.repairlux.de](http://www.repairlux.de) | [www.heinrich-koenig.de](http://www.heinrich-koenig.de)*

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for his or her particular purpose(s).



**Heinrich König & Co. KG**

An der Rosenhelle 5 • D-61138 Niederdorfelden

Phone: 0 61 01-53 60 0 • Fax: 0 61 01-53 60 11

E-mail: [info@heinrich-koenig.de](mailto:info@heinrich-koenig.de)

Issue 17/09